## 2N5109UB

### SURFACE MOUNT SILICON NPN RF TRANSISTOR



# **APPLICATIONS:**

- Oscillators
- · Low noise amplifiers
- Mixers



www.centralsemi.com

# DESCRIPTION:

The CENTRAL SEMICONDUCTOR 2N5109UB is a silicon NPN epitaxial planar RF transistor mounted in a hermetically sealed package designed for high frequency amplifier applications.

## MARKING CODE: C5109

# FEATURES:

- Surface mount equivalent to 2N5109
- Low noise
- Highly reliable hermetic package
- SOT-23 footprint compatible

MAXIMUM RATINGS: (T<sub>A</sub>=25°C unless otherwise noted)

	SYMBOL		UNITS
Collector-Base Voltage	V <sub>CBO</sub>	40	V
Collector-Emitter Voltage	VCEO	20	V
Emitter-Base Voltage	V <sub>EBO</sub>	3.0	V
Continuous Collector Current	Ι <sub>C</sub>	400	mA
Continuous Base Current	۱ <sub>B</sub>	400	mA
Power Dissipation	PD	1.0	W
Power Dissipation (T <sub>C</sub> =25°C)	PD	2.9	W
Operating and Storage Junction Temperature	TJ, T <sub>stg</sub>	-65 to +200	°C
Thermal Resistance	$\Theta_{JA}$	175	°C/W
Thermal Resistance	ΘJC	60	°C/W

#### ELECTRICAL CHARACTERISTICS: (T<sub>A</sub>=25°C unless otherwise noted)


SYMBOL	TEST CONDITIONS	MIN	ΤÝΡ	MAX	UNITS	
ICEV	V <sub>CE</sub> =35V, V <sub>BE</sub> =1.5V			5.0	mA	
ICEV	V <sub>CE</sub> =15V, V <sub>BE</sub> =1.5V, T <sub>C</sub> =150°C			5.0	mA	
ICEO	V <sub>CE</sub> =15V			20	μA	
I <sub>EBO</sub>	V <sub>EB</sub> =3.0V			100	μA	
BVCBO	Ι <sub>C</sub> =100μΑ	40			V	
<b>BVCER</b>	I <sub>C</sub> =5.0mA, R <sub>BE</sub> =10Ω	40			V	
BVCEO	I <sub>C</sub> =5.0mA	20			V	
BVEBO	I <sub>E</sub> =100μA	3.0			V	
V <sub>CE</sub> (SAT)	I <sub>C</sub> =100mA, I <sub>B</sub> =10mA			0.5	V	
h <sub>FE</sub>	V <sub>CE</sub> =15V, I <sub>C</sub> =50mA	40		210		
h <sub>FE</sub>	V <sub>CE</sub> =5.0V, I <sub>C</sub> =360mA	5.0				
fT	V <sub>CE</sub> =15V, I <sub>C</sub> =50mA, f=200MHz	1200			MHz	
Cob	V <sub>CB</sub> =15V, I <sub>E</sub> =0, f=1.0MHz			3.5	pF	
NF	V <sub>CE</sub> =15V, I <sub>C</sub> =10mA, f=200MHz		3.0	3.5	dB	
G <sub>PE</sub>	V <sub>CE</sub> =15V, I <sub>C</sub> =50mA, f=200MHz	11			dB	
				R1 (2	21-December 20	16)




### SURFACE MOUNT SILICON NPN RF TRANSISTOR




# **UB CASE - MECHANICAL OUTLINE**



TOP VIEW





R0

DIMENSIONS				
	INCHES		MILLIMETER	
SYMBOL	MIN	MAX	MIN	MAX
A	0.115	0.125	2.92	3.18
В	0.095	0.105	2.41	2.67
С	0.087	0.093	2.21	2.36
D	0.103	0.109	2.62	2.77
E	0.045	0.055	1.15	1.40
F	0.018	0.022	0.46	0.56
G	0.016	0.024	0.41	0.61
Н	0.071	0.079	1.81	2.01
J	0.022	0.038	0.56	0.96
K (RAD)	0.008		0.	20
L (RAD)	0.012		0.30	
M (RAD)	0.022		0.56	
			UB (R	EV: R0)

## LEAD CODE:

1) Base

2) Emitter

3) Collector

4) Shield Connected to Lid

#### MARKING CODE: C5109

CASE: Ceramic TERMINALS: Gold plated over nickel underplate


www.centralsemi.com

R1 (21-December 2016)






SURFACE MOUNT SILICON NPN RF TRANSISTOR



## TYPICAL ELECTRICAL CHARACTERISTICS






10

V<sub>R</sub>, Reverse Voltage (V)

100

c<sub>it</sub>



R1 (21-December 2016)

www.centralsemi.com

100

10

T<sub>A</sub>=25°C

1+


C, Capacitance (pF)





SURFACE MOUNT SILICON NPN RF TRANSISTOR

# **TYPICAL ELECTRICAL CHARACTERISTICS**



R1 (21-December 2016)

www.centralsemi.com

# **OUTSTANDING SUPPORT AND SUPERIOR SERVICES**

#### **PRODUCT SUPPORT**

Central's operations team provides the highest level of support to insure product is delivered on-time.

- Supply management (Customer portals)
- Inventory bonding
- · Consolidated shipping options

### **DESIGNER SUPPORT/SERVICES**

Central's applications engineering team is ready to discuss your design challenges. Just ask.

- Free quick ship samples (2<sup>nd</sup> day air)
- Online technical data and parametric search
- SPICE models
- Custom electrical curves
- Environmental regulation compliance
- Customer specific screening
- Up-screening capabilities

Special wafer diffusions

· Custom product packing

- PbSn plating options
- Package details
- Application notes
- · Application and design sample kits

Custom bar coding for shipments

Custom product and package development

# **REQUESTING PRODUCT PLATING**

- 1. If requesting Tin/Lead plated devices, add the suffix "TIN/LEAD" to the part number when ordering (example: 2N2222A TIN/LEAD).
- If requesting Lead (Pb) Free plated devices, add the suffix "PBFREE" to the part number when ordering (example: 2N2222A PBFREE).

## CONTACT US

# **Corporate Headquarters & Customer Support Team**

Central Semiconductor Corp. 145 Adams Avenue Hauppauge, NY 11788 USA Main Tel: (631) 435-1110 Main Fax: (631) 435-1824 Support Team Fax: (631) 435-3388 www.centralsemi.com

Worldwide Field Representatives: www.centralsemi.com/wwreps

Worldwide Distributors: www.centralsemi.com/wwdistributors

For the latest version of Central Semiconductor's **LIMITATIONS AND DAMAGES DISCLAIMER**, which is part of Central's Standard Terms and Conditions of sale, visit: <u>www.centralsemi.com/terms</u>





# Product End of Life Notification

PDN ID:	PDN01114
Notification Date:	9/06/19
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

# http://www.centralsemi.com

Please be advised that Central Semiconductor must immediately discontinue the product(s) listed in the attached PDN notice. We are unable to accept any further orders for these products **unless** we have available inventory on hand.

You may have purchased one or more of the products listed. Please do not hesitate to contact your local Central Semiconductor sales representative with any questions or needs you may have. Central regrets any inconvenience this may cause.

Sincerely,

Central Semiconductor Corp.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



# Product End of Life Notification

PDN ID:PDN01114Notification Date:9/06/19Last Buy Date:Stock OnlyLast Shipment DateStock Only

Summary: The CP616, CP617, CP618, CP223, CP229 and CP243 RF transistor die processes are discontinued and now classified and End of Life (EOL).

Although Central Semiconductor Corp. makes every effort to continue to produce devices that have been proclaimed EOL (End of Life) by other manufacturers, it is an accepted industry practice to discontinue certain devices when customer demand falls below a minimum level of sustainability. Accordingly, the following product(s) have been transitioned to End of Life status as part of Central's ongoing Product Management Process. Any replacement products are noted below. The effective date for placing last purchase orders will be six (6) months from the date of this notice and twelve (12) months from the notice date for final shipments, and minimum order quantities may apply. The last purchase and shipment dates may be extended if inventory is available.

Central Part Number	Replacement
BFW16A	N/A, Stock Only
CEN1179	N/A, Stock Only
CEN5503	N/A, Stock Only
CM4957	N/A, Stock Only
CM5160	N/A, Stock Only
CM5583	N/A, Stock Only
CM5943	N/A, Stock Only
CP223-2N3866-CT	N/A, Stock Only
CP223-2N3866-WN	N/A, Stock Only
CP229-2N5109-CM	N/A, Stock Only
CP229-2N5109-CT	N/A, Stock Only
CP229-2N5109-CT20	N/A, Stock Only
CP229-2N5109-WN	N/A, Stock Only
CP243-CM5943-WN	N/A, Stock Only
CP616-CM5160-CT	N/A, Stock Only
CP616-CM5160-CT20	N/A, Stock Only
CP616-CM5160-WN	N/A, Stock Only
CP616-2N5160-CM	N/A, Stock Only
CP616-2N5160-CT	N/A, Stock Only
CP616-2N5160-WN	N/A, Stock Only
CP617-CEN1271-CM	N/A, Stock Only
CP617-CEN1271-CT	N/A, Stock Only
CP617-CEN1271-WN	N/A, Stock Only
CP617-CM4957-CM	N/A, Stock Only
CP617-CM4957-CT	N/A, Stock Only
CP617-CM4957-CT20	N/A, Stock Only
CP617-CM4957-WN	N/A, Stock Only
CP618-CM5583-CT	N/A, Stock Only
CP618-CM5583-WN	N/A, Stock Only
CP618-2N5583-WN	N/A, Stock Only
2N3866	N/A, Stock Only
2N3866 TRAY	N/A, Stock Only
2N3866A	N/A, Stock Only
2N4427	N/A, Stock Only
2N5109	N/A, Stock Only
2N5109UB BK	N/A, Stock Only

\*\*\* CONTINUED \*\*\*

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



# Product End of Life Notification

PDN ID:	PDN01114
Notification Date:	9/06/19
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

# http://www.centralsemi.com

Please be advised that Central Semiconductor must immediately discontinue the product(s) listed in the attached PDN notice. We are unable to accept any further orders for these products **unless** we have available inventory on hand.

You may have purchased one or more of the products listed. Please do not hesitate to contact your local Central Semiconductor sales representative with any questions or needs you may have. Central regrets any inconvenience this may cause.

Sincerely,

Central Semiconductor Corp.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.



http://www.centralsemi.com

# Product End of Life Notification

PDN ID:	PDN01114
Notification Date:	9/06/19
Last Buy Date:	Stock Only
Last Shipment Date	Stock Only

\*\*\* CONTINUED FROM PRIOR PAGE \*\*\*

# Central Part Number Replacement

Central would be happy to assist you by providing additional information or technical data to help locate an alternate source if we have no replacement available. Please email your requests to engineering@centralsemi.com.

DISCLAIMER: This End of Life (EOL) notification is in accordance with JEDEC standard JESD48 - Product Discontinuance. Central Semiconductor Corp. will make every effort to offer life-time buy (LTB) opportunities and/or offer replacement devices to existing customers for discontinued devices, however, one or both may not be possible for all devices. Please contact your local Central Semiconductor sales representative for LTB opportunities/additional information.